

SUPER TRADE DEALS

LED • CCTV • INTERCOM • ALARMS • SOLAR



ENSA™



SECURVIEW
VICTORY SERIES



**Leading
4 Year
Warranty**

**Local
Technical
Support**

**Best
Australian
Brands**

**Free Project
Design
Services**



AI CAMERA SYSTEMS



LED LIGHTING DEALS



ELECTRICAL / CONDUIT



ITALIAN LIGHT FIXTURES

Available from your Local Wholesaler

Find your local stockist: 1300 307 067 or sales@cornick.com.au • Trade Only Specials • For pricing visit your local wholesaler
Availability & range may be subject to change without notice • Released JUL-21 • Supersedes prior Super Trade Deals



Best value camera systems

- » Watchguard™ Compact Series Complete CCTV Systems
- » Up to 16CH NVRs & high resolution cameras up to 8.0MP
- » Create high value installations - best performance vs price



Compact Series Fixed Lens IP Cameras

Available in vandal, turret dome and bullet housing styles

4.0MP@20fps, 8.0MP@15fps
30m IR, 2.8mm lens (102°),
Starlight, WDR, tripwire/
intrusion, IP67 (IK10 dome)



4.0
MEGAPIXEL

4K
ULTRA HD

**FIND AT YOUR
WHOLESALE**

4.0MP Models:	VSIPC-4BIRS2	VSIPC-4DIRD2	VSIPC-4DIRG2
8.0MP Models:	VSIPC-8BIRS (Mini Bullet)	VSIPC-8DIRD (Vandal Dome)	VSIPC-8DIRG2 (Turret Dome)



Vertical Wall Mount Security Cabinet

- 24U wall mount cabinet
- Fits 1 x Recorder & 24" Monitor
- Cable management knockouts
- 30kg load bearing, SPCC steel
- 580 (W) x 635 (H) x 180 (D)

**Fits 24"
Monitor &
NVR**

**SECCAB
(2RU Cabinet)
Monitor & NVR
not included**

4K
ULTRA HD



**PoE for
camera plug
& play**



Compact Series NVRs

Records up to 4K Ultra HD resolution (3840 x 2160)
Power over Ethernet systems with 4/8/16 PoE ports
4CH, 8CH, 16CH with full built in PoE switches for easy
install, supports up to 8.0MP cameras

NVR4COM3 (4CH, 4 PoE, 1 x HDD)
NVR8COM3 (8CH, 8 PoE, 1 x HDD)
NVR16COM3 (16CH, 16 PoE, 2 x HDD)

Watchguard™ camera systems, ideal for homes and businesses



Compact Series Fixed CCTV Kits

Complete, high definition surveillance systems ideal for homes & businesses.



Choose your cameras

Choices of bullets, domes or turrets for your system



4CH 4.0MP Fixed IP Kit

1 x 4 Channel NVR, 4 x PoE, 1 x HDD bay
1 x Pre-installed 1TB Surveillance HDD
4 x 4.0MP 2.8mm (102°) cameras

NVRKIT-C441F (4CH, 1TB HDD)

4CH 8.0MP Fixed IP Kit

1 x 4 Channel NVR, 4 x PoE, 1 x HDD bay
1 x Pre-installed 2TB Surveillance HDD
4 x 8.0MP 2.8mm (105°) cameras

NVRKIT-C482F (4CH, 2TB HDD)



8CH 4.0MP Fixed IP Kit

1 x 8 Channel NVR, 8 x PoE, 1 x HDD bay
1 x Pre-installed 2TB Surveillance HDD
8 x 4.0MP 2.8mm (102°) cameras

NVRKIT-C842F (8CH, 2TB HDD)

8CH 8.0MP Fixed IP Kit

1 x 8 Channel NVR, 8 x PoE, 1 x HDD bay
1 x Pre-installed 2TB Surveillance HDD
8 x 8.0MP 2.8mm (105°) cameras

NVRKIT-C884F (8CH, 4TB HDD)



Pro Series Motorised IP Cameras

4.0MP@20fps, 8.0MP@15fps, 2.7~13.5mm VF lens (112°~46°), up to 60m IR, true WDR (120dB), tripwire & intrusion, audio/alarm (bullet/dome) IP67, IK10 dome, 12VDC/PoE (images left-right, bullet, dome, turret)

VSIPP-4BIRMG (4.0MP, bullet)

VSIPP-4DIRMD (4.0MP, dome)

VSIPP-4DIRMG (4.0MP, turret)

VSIPP-8BIRMG (8.0MP, bullet)

VSIPP-8DIRMD (8.0MP, dome)

VSIPP-8DIRMG (8.0MP, turret)



19" & 24" LCD Monitors

720p & 1080p models, VGA/HDMI, VESA mount

LCDFL19 (720p, 18.5")

LCDACER24-2 (1080p, 23.8")



12VDC Power Supplies

Standard 2.1mm DC jack



PS2000SM (12VDC 2A)

PS5000SM (12VDC 5A)



28W LED Flood IR Illuminator

IP66 rated, metal chassis



VSIR28W30/60/120D

(30°, 60°, 120°)



650VA UPS

650VA/360W, 28min backup at 72W load, 2 inputs



UPS650VA

Professional CCTV systems

- » VIP Vision™ Pro AI Series Network CCTV Systems
- » NVRs up to 32CH & AI network cameras up to 8.0MP
- » Create powerful, smart CCTV systems that impress

6.0MP
QUALITY



Pro AI Series Fixed CCTV Kits

Pro AI turret cameras with intelligent perimeter protection, identifying people & vehicles during motion detection to filter out false alarms



4CH 6.0MP Fixed IP Kit

1 x 4CH Pro NVR, 4 x PoE, 2 x HDD bay
1 x Pre-installed 1TB Surveillance HDD
4 x 6.0MP 2.8mm (102°) AI turrets

NVRKIT-P461F (4CH, 1TB HDD)



 AI People & Vehicle Detection

8CH 6.0MP Fixed IP Kit

1 x 8CH Pro NVR, 4 x PoE, 2 x HDD bay
1 x Pre-installed 2TB Surveillance HDD
8 x 6.0MP 2.8mm (102°) AI turrets

NVRKIT-P862F (8CH, 2TB HDD)



 AI People & Vehicle Detection

4.0
MEGAPIXEL

6.0
MEGAPIXEL

4K
ULTRA HD



Pro AI Series Fixed Lens Cameras

Available in turret, vandal dome and mini bullet models
Up to 8.0MP@20fps, 2.8mm lens (up to 108°), Starlight, WDR, AI people & vehicle detection, IP67 (IK10 dome)

VSIPP-4BIRG-I (4.0MP Bullet)	VSIPP-6DIRG-I (6.0MP Turret)
VSIPP-4DIRD-I (4.0MP Dome)	VSIPP-8BIRG-I (8.0MP Bullet)
VSIPP-4DIRG2-I (4.0MP Turret)	VSIPP-8DIRD-I (8.0MP Dome)
	VSIPP-8DIRG-I (8.0MP Turret)



 AI People & Vehicle Detection

4.0
MEGAPIXEL

4K
ULTRA HD



Pro AI Series Motorised Lens Cameras

Available in bullet, vandal dome and turret models
4.0MP@25fps, 8.0MP@20fps, motorised lens (113~31°), Starlight, WDR, AI people/vehicle detect., IP67 (IK10 dome)

VSIPP-4BIRMG-I (4.0MP Bullet)	VSIPP-8BIRMG-I (8.0MP Bullet)
VSIPP-4DIRMD-I (4.0MP Dome)	VSIPP-8DIRMD-I (8.0MP Dome)
VSIPP-4DIRMG-I (4.0MP Turret)	VSIPP-8DIRMG-I (8.0MP Turret)

New additions to the VIP Vision™ professional CCTV range



Professional Series 4~32 Channel NVRs

- Records up to 12.0MP resolution (4000 x 3000)
- Support for high resolution and AI IP cameras
- Power over Ethernet systems; 4/8/16/24 PoE ports
- Up to 4 x HDD ports, max. 40TB HDD capacity
- Motion detection recording & record scheduling
- Easy phone setup via QR code; live view & playback



NVR4PRO4
(4CH, 2 HDD)

NVR8PRO7
(8CH, 2 HDD)

NVR16PRO7
(16CH, 4 HDD)

NVR24PRO6
(24CH, 4 HDD)

NVR32PRO16P3
(32CH, 16 PoE, 4 HDD)

Intelligent AI auto-tracking.



Pro AI Series PTZ Speed Domes

- AI people & vehicle detection; Search playback
- Trigger alerts with people/vehicle or motion detection
- Starlight performance (0.005lx) & 150m infrared
- 1/1 alarm & 2/1 alarm interfaces (input/output)
- Includes bracket for wall mounting



Full HD
1080

4.0
MEGAPIXEL

4K
ULTRA HD

VSIPPTZ-2IRP-I
(2.0MP, 25x Zoom)

VSIPPTZ-4IRP-I
(4.0MP, 32x Zoom)

VSIPPTZ-8IRP-I
(8.0MP, 25x Zoom)



Pro AI Active Deterrence Turret Cameras

Siren & red/blue strobe light triggers on person or vehicle detection, White spotlight, 24/7 Colour, up to 8.0MP@20fps, 2.8mm (107°), WDR, metal body, IP67

- VSIPP-2DG-ID (2.0MP Turret)
- VSIPP-4DG-ID (4.0MP Turret)
- VSIPP-8DG-ID (8.0MP Turret)



Full HD
1080

4.0
MEGAPIXEL

4K
ULTRA HD



Camera Brackets



Junction Boxes & Wall Mount Kits

AI People & Vehicle Detection



See VIP Vision AI CCTV Systems in action

Visit www.vip-vision.com for demos of people/vehicle identification & more

Solar-powered CCTV systems



**Outdoors
CCTV,
anywhere**



Pre-built solar camera systems for construction & more.

Fully configured, ready-to-install solar systems with high efficiency monocrystalline panels, large capacity lithium batteries for long uptime & 180lm/W LED light with motion sensing.
4.0MP PTZ IP Camera integrated for standalone solar CCTV, with 4G or WiFi network options available. Pole & base sold separately.



**Pre-built
& ready for
install**

SLR-B120-4G/4W (120W Panel, 4G/WiFi)
SLR-B180-4G/4W (180W Panel, 4G/WiFi)

SLR-POL4.5H
(4.5m hinged pole)

SLR-POLBASE
(Unassembled)

SLR-POLCONC
(Assembled Base)

Deliver an outstanding install

- » Build professional networks for intercom & CCTV installs
- » Wide range of Gigabit & Power over Ethernet switches
- » Wireless access points, cabling, UPS & cable accessories

Pre-configured wireless links to save you on install time.

LONGEVITY

Pre-Configured Wireless AP Bridges

- Point-to-point & point-to-multipoint applications
- We program units for plug & play, saving you time
- 5.8GHz wireless access point, 900Mbps
- Up to 5km P2P range, line of sight (H:60° / V:30°)
- PoE; pole & wall mount kits included; IP65

LGAP300 (Single Unit)

LGAP300-PACKA (2 x Wireless APs)

LGAP300-PACKB (3 x Wireless APs)

Pre-configured WiFi bridge



SECURVIEW Fibre Optic HDMI Cables

4K@60Hz
Easy HDMI wall runs

10m, Type-A to Type-A	HDMI-10F
20m, Type-A to Type-A	HDMI-20F
10m, Type D detachable	HDMI-10FC
20m, Type D detachable	HDMI-20FC
30m, Type D detachable	HDMI-30FC
50m, Type D detachable	HDMI-50FC



30W PoE Injector

30W PoE+, 1000Mbps, 100~240VAC.

Provide PoE to devices



VSPOE-IN30 (Injector)

FLASHVIEW™

2-way 4K HDMI Splitter

1 x HDMI input, 2 x HDMI output, 5VDC

Supports 4k & 3D video



HDMI-SPL2P3 (HDMI Splitter)

FLASHVIEW™

HDMI Extender over CAT6

HDMI signal over CAT6 cable up to 50m

Supports 1080p & 3D video



HDMI-EXT50M (HDMI Extender)



Gigabit Ethernet Switches

Unmanaged, 1000Mbps, Desktop/SOHO switches, PSU included

5 port **VSETH-SW5G**

8 Port **VSETH-SW8G**



PoE+ Ethernet Switches

Unmanaged, 100+Mbps PoE+, 30W per port, 1/2

x60W Hi-PoE, 60W/96W total

DIN rail mount



4 Port **VSPOE-SW4H**

8 Port **VSPOE-SW8H**

SECURVIEW™

CAT5E / CAT6 UTP Pullboxes

305m Ethernet cable boxes in 4 colours

CAT5E

CAT5EBLU-47MM (Blue)

CAT5EWH (White)

CAT5EYL-47MM (Yellow)

CAT6

CAT6BLU-50MM (Blue)

CAT6RED-50MM (Red)



Professional LED for industry

- » High power LED flood lighting and high bay lighting
- » Outstanding light output performance up to 160lm/W
- » Warehouses, production facilities, sporting complexes

ENSA™

LHB-D Series LED High Bays

130lm/W, 90° beam, >80 CRI, hang mount, 50,000hrs lifespan, IP66, 5700K, AUS plug




LHB-D100-C (100W, 13000lm)
LHB-D150-C (150W, 19500lm)
LHB-D200-C (200W, 26000lm)

AVOL™

LHB-E Series LED High Bays

100lm/W, 90° beam, >80 CRI, 35,000hrs lifespan, IP65, 6000K, eyelet mount

LHB-E100-C (100W, 10000lm)
LHB-E150-C (150W, 15000lm)
LHB-E200-C (200W, 20000lm)



AVOL™

LFL-H Series LED Floods

80lm/W, 6000K, 120°, IP66, AUS plug

LFL-H50-C (50W)
LFL-H100-C (100W)
LFL-H150-C (150W)
LFL-H200-C (200W)



AVOL™

LSL-C LED Street Lights

110lm/W, 35,000hrs, 6000K, 90°x130°, IP65, 180° slipfitter, pole not included

LSL-C50-C (Ø54, 50W)
LSL-C100-C (Ø62, 100W)
LSL-C150-C (Ø62, 150W)
LSL-C200-C (Ø62, 200W)



ENSA™

LFL-B2 Series Slimline LED Flood Lights

150lm/W, 5000K (C2) / 3000K (W2), 120°, IP65, 50,000hrs lifespan, >70 CRI

LFL-B20-C2 / W2 (20W, 3000lm, cool / warm)
LFL-B30-C2 / W2 (30W, 4500lm, cool / warm)
LFL-B50-C2 / W2 (50W, 7500lm, cool / warm)
LFL-B80-C2 (80W, 12,000lm, cool)
LFL-B100-C2 (100W, 15,000lm, cool)
LFL-B150-C2 (150W, 22,500lm, cool)
LFL-B200-C2 (200W, 30,000lm, cool)



ENSA™

Save on smart LED lighting

- » Flood, batten, oyster & street lights with motion sensors
- » Adjustable sensor lights to maximise energy savings
- » Ideal for many residential and commercial applications

ENSA™

LFL-C2 Commercial Sensor LED Floods

120lm/W, 120°, >80 CRI, Adjustable PIR up to 12m (140° arc), 35,000hrs lifespan, 5000K, U-bracket, IP65



LFL-C20-CS2-5 (20W, 2400lm)
LFL-C30-CS2-5 (30W, 3600lm)
LFL-C50-CS2-5 (50W, 6000lm)



ENSA™ LED Oyster Lights

16W standard, motion sensor, & motion + backup battery models. 1200lm, 3000/5000K, IP66 & IK10.

LOL-A16-C/W (Standard)
LOL-A16-CS2/WS2 (Sensor)
LOL-A16-CSE/WSE (Sensor & Battery)

ENSA™

LED Sensor Batten Lights with Battery Backup

2-stage motion sensor dimming, 18W (1600lm) & 36W (3000lm), 2hrs up-time backup battery, AS2293.3, 120° beam, 35,000hrs LED lifespan, IP65

LEDBT18WS2 (18W, 600mm)
LEDBT18WSE (battery backup)
LEDBT36WS2 (36W, 1200mm)
LEDBT36WSE (battery backup)



Backup Batt.
2-Stage Dim
NSW ESS

ENSA™

LSL-B Series LED Street Lights

135lm/W, 5000K, >70 CRI, 50,000hr lifespan, 155x85° beam, dimmable, IP66/IK08, Ø62mm slip fitter*, pole not included



*Brackets sold separately

Slip fitter, fixed/adjust. pole, trunnion & U-bracket mounts

Photocell Models

LSL-B150-CP (150W, 5000K)
LSL-B200-CP (200W, 5000K)



Rapid upgrade LED retrofits

- » Retrofit inefficient high bays, fluoro tubes and bulbs
- » Adjustable motion sensor lights maximise energy savings
- » Ideal for many residential and commercial applications

ENSA™

E40 Base LED High Bay Bulbs

4500K/6500K, 120°, quickly replace metal halide / HID high bays, E40 base

LBL-D100-E40C/N (100W, Cool/Natural)

LBL-D160-E40C/N (160W, Cool/Natural)

LBL-D100RF (100W reflector)



ENSA™

40/42W E27/E40 Base LED Retrofit Bulbs

40/42W E27 & E40 screw-fit LEDs, 120lm/W, >80 CRI, >25,000hrs lifespan, 4000K natural white, Ø110mm x 275mm length

LBL-D40-E27N (40W, natural, E27)
LBL-D42-E40N (42W, natural, E40)



ENSA™

45W E27 Base LED Retrofit Bulb

45W E27 screw fit LED bulb, 100lm/W, >80 CRI, >25,000hrs lifespan, 4000K natural white, Ø138mm x 231mm length

LBL-D45-E27N (45W, natural, E27)



ENSA™

T8 LED Tube Lights

2ft/4ft (600/1200mm) models, 100lm/W, 6500K, full polycarbonate tube design, frosted diffuser, lights include LED starter

LTU-A9-CW (9W, 900lm)
LTU-A18-CW (18W, 1800lm)

100lm/W
2ft & 4ft
Starter



ENSA™

PIR Motion Detection T8 LED Tube Light

2ft (600mm) & 4ft (1200mm) models, 80lm/W, 6000K, 8m PIR detection, dims to 30%, 60s on-time delay

LTU-C9-CS (2ft, 9W, 750lm)
LTU-C18-CS (4ft, 18W, 1800lm)

1200mm
PIR Sensor
30% Dim



Stylish Italian light fixtures

- » Wide range of light fittings for indoors & outdoors lighting
- » Unique fixtures designed & manufactured in Varese, Italy
- » LED lights included, all models available in grey & black

fumagalli **Recessed Wall/Floor Lamps**
Available in grey & black



Nina
FU-NIN-7G (7W, Grey)
FU-NIN-7B (7W, Black)



Ceci
FU-CEC-6G (6W, Grey)
FU-CEC-6B (6W, Black)




Nina

fumagalli **Bulkhead Bollard Light**




Pina
FU-PIN-18
(18W Bollard)


fumagalli **Surface-Mount Wall Lamps**
Available in grey & black




Lorenza
FU-LOR-3G (3W, Grey)
FU-LOR-3B (3W, Black)



Abram
FU-ABR-3G (3W, Grey)
FU-ABR-3B (3W, Black)



Francy
FU-FRA-6G (6W, Grey)
FU-FRA-6B (6W, Black)



Abram

Light Poles
Available in grey & black

Ektor
FU-EKT-25 (2.5m)
FU-EKT-4 (4m)
FU-EKT-6 (6m)


Fibo
FU-FEB-1 (1m)

New Lot
FU-NEW (Base)




Galvanised metal poles with resin coating


fumagalli **Round/Square Bollard Lights**
Available in grey & black



Ester
FU-EST-10G (10W, Grey)
FU-EST-10B (10W, Black)




Carlo
FU-CAR-6G (6W, Grey)
FU-CAR-6B (6W, Black)



Ester

Pole Brackets



FU-MID-P1 (Single, Short)
FU-MID-P2 (Double, Short)
FU-MID-P3 (Triple, Short)
FU-PIL-P1 (Single, Long)
FU-PIL-P2 (Double, Long)

fumagalli **Pole-Mounted LED Lights**
Available in grey & black



Giorgio
FU-GIO-40G (40W, Grey)
FU-GIO-40B (40W, Black)



Gino
FU-GIN-60G (60W, Grey)
FU-GIN-60B (60W, Black)

Ø60mm pole socket for modular mounting



Gino

Wall Brackets



FU-MID-W (Short)
FU-PIL-W (Long)

Professional vehicle security

- » Standalone vehicle dual surveillance & tracking system
- » Lockable HDCVI mobile DVR with GPS, 4G & WiFi
- » 5 mobile HDCVI cameras, specialised for vehicle usage

SECURVIEW 4G Vehicle Monitoring & GPS Tracking System

- 1080p road-facing camera & separate B&W cabin camera
- Real-time, precision GPS tracking; geo-fencing, track playback
- Voice chat and live view video at any time from connected app
- Driver behaviour live alerts for speed, g-sensor & more

PROTECT YOUR DRIVING RECORD

- Manage multiple units & send device commands on phone or PC
- Free lifetime licence for online tracking platform & phone app
- Incl. power harness, mounting kits, alarm button, relays & more

MDVR-J400 (Incl. SIM/SD card lock)
SIM card, phone & SD card sold separately



SECURVIEW 4 & 8 Channel Mobile HDCVI DVRs

- Available in 4 or 8 channels, each with precision GPS, 4G & WiFi
- Supports HDCVI & analogue video inputs, 1 x VGA / 2 x TV outputs
- Backup via USB/network, lockable HDD/SIM tray, M12 camera inputs
- 7/2 alarm input/output, 6~36VDC power input, CAN bus support
- **4CH:** 2.0MP at 2CH + 1.0MP at 2CH at 25fps 1 x 2.5" SATA port & SD slot
- **8CH:** 2.0MP at 25fps across 8 channels, 2 x 2.5" SATA ports & SD slot

MCVR-GPS4GW (4 Channel, includes. GPS/4G/WiFi)
MCVR-GPS8GW (8 Channel, includes GPS/4G/WiFi)



SECURVIEW 2.0MP HDCVI Mobile Series Cameras

All cameras include heavy duty M12 connector for mobile / vehicle use

- **Mini Dome:** 2.0MP, 3.6mm (83°), 20m IR, built-in mic, IP67 rated
- **Bumper:** 2.0MP, 3.6mm (83°), 20m IR, built-in mic, IP67 rated
- **Dash Camera:** Road & cabin, 2 x 2.0MP, wide angle, built-in mic
- **IK10 Dome:** 2.0MP, 2.8mm (111°), 20m IR, IK10/IP67 rated
- **Barrel Camera:** 2.0MP, 2.8mm (109°), electronic day/night, Ø30mm

VSCV2MPDIRAT (Mini Dome) **VSCV2MPWTT (Dash Camera)** **VSCV2MPBT.8 (Barrel Camera)**
VSCV2MPCIRAT (Bumper Cam) **VSCV2MPVDIRFTV3 (IK10 Dome)**



Elegant IP intercom systems

- » Ideal for single-tenant and multi-tenant installations
- » Remote answering and unlocking via mobile application
- » IP intercom door stations, indoor monitors and kits



1.0MP Residential IP Door Station

1.0MP camera (122°), calls up to 10 monitors, unlock via NFC card, 2-way talk, 12VDC / PoE, alarm & RS485 I/O, PCB, surface mount

INTIPRDSJ (1.0MP)



2.0MP Residential IP Door Station

2.0MP camera (160°), calls up to 10 monitors, 2-way talk, 12VDC / PoE, alarm & RS485 I/O, aluminium, flush/surface mount

INTIPRDSG (2.0MP)



Residential IP PoE Indoor Monitors

7" TFT touchscreen (1024 x 600), Wall or desktop mount, PoE 12VDC, Record & snapshot

INTIPMONGB (7" Black)
INTIPMONGW (7" White)



Residential IP PoE Handset Monitors

7" TFT touchscreen (1024 x 600), Wall or desktop mount, Handset, PoE 12VDC, Record & snapshot

INTIPMONDBH2 (Black)
INTIPMONDWH2 (White)



4-Wire Analogue Intercom Kit

Quick replacement for 4-core & 6-core systems.

- 1 x Residential analogue door station
- 1 x 7" touchscreen indoor monitor (white)
- 1 x Mounting bracket for door station
- 1 x 12VDC PSU

INTKIT-A1 (Complete Kit)



J Series Residential IP Intercom Kit

- 1 x IP PoE door station with built-in NFC card reader
- 1 x 7" touchscreen indoor monitor (black)
- 1 x 5-port 10/100M PoE switch with PSU included

INTIPRKITJ (Complete Kit)

Complete conduit solutions

- » Rigid & corrugated cable conduit in medium & heavy duty
- » All conduit conforms to AS/NZS 2053 standards
- » Dozens of conduit accessories for a complete installation



Electrical Conduit

Protect electrical cabling in commercial and industrial applications.

- Conforms to the AS/NZS 2053 standard
- PVC-U material in orange (HD) or grey/white (MD) colour

4m Rigid Medium Duty Conduit

CON120 (Ø20mm White)
CON121 (Ø25mm White)
CON122 (Ø32mm White)
CON100 (Ø20mm Grey)
CON101 (Ø25mm Grey)
CONMD-32MM-G (Ø32mm Grey)
CONMD-40MM-G (Ø40mm Grey)

4m Rigid Heavy Duty Conduit

CONHD-20MM-O (Ø20mm Orange)
CONHD-25MM-O (Ø25mm Orange)
CONHD-32MM-O (Ø32mm Orange)
CONHD-40MM-O (Ø40mm Orange)
CONHD-50MM-O (Ø50mm Orange)
CONHD-63MM-O (Ø63mm Orange)



Corrugated White MD Conduit

CCN120 (50m Ø20mm)
CCN121 (25m Ø25mm)
CCN122 (25m Ø32mm)
CCN123 (25m Ø20mm)
CCN124 (25m Ø25mm)

Corrugated Grey MD Conduit

CCN100 (50m Ø20mm)
CCN101 (25m Ø25mm)
CCN102 (25m Ø32mm)
CCN103 (25m Ø20mm)
CCN104 (25m Ø25mm)

Corrugated Orange HD Conduit

CCN140 (25m Ø20mm)
CCN141 (25m Ø25mm)
CCN142 (25m Ø32mm)
CCN143 (25m Ø20mm)
CCN144 (25m Ø25mm)



Grey MD Solid Bend

CNA210 (Ø20mm)
CNA211 (Ø25mm)
CNA212 (Ø32mm)
CNA213 (Ø40mm)

White MD Sweep Bend

CNA240 (Ø20mm)
CNA241 (Ø25mm)
CNA242 (Ø32mm)

Grey HD Sweep Bend

CNA230 (Ø20mm)
CNA231 (Ø25mm)
CNA232 (Ø32mm)
CNA233 (Ø40mm)

Orange HD Sweep Bend

CNA220 (Ø20mm)
CNA221 (Ø25mm)
CNA222 (Ø32mm)
CNA223 (Ø40mm)
CNA234 (Ø50mm)

Professional cable management with Conduit Accessories



Grey Solid Elbow

CNA150 (Ø20mm)
CNA151 (Ø25mm)



Grey Sharp Elbow

CNA152 (Ø20mm)
CNA153 (Ø25mm)



Grey Inspection Elbow

CNA154 (Ø20mm)
CNA155 (Ø25mm)
CNA155 (Ø32mm)



Grey Tee

CNA200 (Ø20mm)
CNA201 (Ø25mm)



Grey Inspection Tee

CNA202 (Ø20mm)
CNA203 (Ø25mm)
CNA204 (Ø32mm)



Grey Plain Coupling

CNA130 (Ø20mm)
CNA131 (Ø25mm)
CNA132 (Ø32mm)
CNA133 (Ø40mm)
CNA134 (Ø50mm)



Grey Plain to Screwed Coupling

CNA310 (Ø20mm)
CNA311 (Ø25mm)



Grey Screw Adapter with Lock Ring

CNA140 (Ø20mm)
CNA141 (Ø25mm)
CNA142 (Ø32mm)
CNA143 (Ø40mm)
CNA144 (Ø50mm)



Grey Male & Female Conduit Bush

CNA270 (Ø20mm)
CNA271 (Ø25mm)
CNA272 (Ø32mm)
CNA273 (Ø40mm)



Grey Extension Ring

CNA170 (Ø25mm)



Grey Thread Reducer

CNA260 (Ø20mm-16mm)
CNA261 (Ø25mm-20mm)
CNA262 (Ø32mm-25mm)
CNA263 (Ø40mm-32mm)



Orange Locating Flange

CNA190 (Ø20mm)
CNA191 (Ø25mm)

Black Nylon Ring

CNA330 (Ø20mm)
CNA331 (Ø25mm)
CNA332 (Ø32mm)



Plastic Saddle

CNA290 (Ø20mm)
CNA291 (Ø25mm)
CNA292 (Ø32mm)

Saddle Spacer

CNA293 (Ø20mm)
CNA294 (Ø25mm)



Steel Half Saddle

CNA295 (Ø20mm, Galvanised)
CNA296 (Ø25mm, Galvanised)
CNA297 (Ø32mm, Galvanised)
CNA300 (Ø20mm, Stainless)
CNA301 (Ø25mm, Stainless)
CNA302 (Ø32mm, Stainless)



Ø20mm Junction Box

CNA120 (1-Way)
CNA121 (2-Way)
CNA128 (2-Way 90°)
CNA122 (3-Way)
CNA123 (4-Way)

Ø25mm Junction Box

CNA124 (1-Way)
CNA125 (2-Way)
CNA129 (2-Way 90°)
CNA126 (3-Way)
CNA127 (4-Way)



Ø20mm Deep Junction Box

CNA120 (1-Way)
CNA121 (2-Way)
CNA128 (2-Way 90°)
CNA122 (3-Way)
CNA123 (4-Way)

Ø25mm Deep Junction Box

CNA120 (1-Way)
CNA121 (2-Way)
CNA128 (2-Way 90°)
CNA122 (3-Way)
CNA123 (4-Way)

Essential electrical supplies



Electrical Accessories



Fixed Terminal Junction Box

ELA120 (3 Terminal)
ELA121 (4 Terminal)



Junction Box

ELA122 (Small)
ELA123 (Large)



Surface Quick Connector

ELA131




Single Surface Plug Base

ELA130



Screw Connectors (Jar)

ELA122 (Single, 100pc)
ELA122 (Double, 25pc)



Grid Plates

ESW100 (Blank) ESW103 (3 Gang) ESW106 (6 Gang)
ESW101 (1 Gang) ESW104 (4 Gang)
ESW102 (2 Gang) ESW105 (5 Gang)



Light Switch - 1 Gang

ESW130



Double Power Point

ESW150 (White)
ESW150B (Black)



C Clip Mounting Bracket

ELA100

Safeguard homes & businesses



Watchguard Force Wireless 4G Alarm

Contact ID protocol support for back to base services

- Versatile security for residences, offices and stores
- Reliable protection: In event of a power outage the control panel will send SMS notifications
- 6 hour backup battery, activated by power outage
- Connect to WiFi to control & monitor the alarm system via the phone app or receive email notifications



ALL-PACK1
(Incl. PIR, reed switch, remotes, tags & hub)



External siren, extra sensors, keyfobs & more also available

Available from your local wholesaler. Call us to find your nearest stockist.

Cornick pty ltd
Established 1978

Distribution opportunities available: To become a distributor for the brands & product ranges featured, contact Master Distributor Cornick Pty Ltd.
1300 307 067 • sales@cornick.com.au • www.cornick.com.au
Distribution Centre: 8 Precision Place, Mulgrave, NSW, Australia