

SUPER TRADE DEALS

LED • CCTV • INTERCOM • ALARMS • SOLAR



ENSA™



SECURVIEW
VICTORY SERIES



**Leading
4 Year
Warranty**

**Local
Technical
Support**

**Best
Australian
Brands**

**Free Project
Design
Services**



AI CAMERA SYSTEMS



LED LIGHTING DEALS



ELECTRICAL / CONDUIT



ITALIAN LIGHT FIXTURES

Available from your Local Wholesaler

Find your local stockist: 1300 307 067 or sales@cornick.com.au • Trade Only Specials • Pricing excludes GST, while stocks last
Pricing and availability may be subject to change without notice • Released OCT-21 • Supersedes prior Super Trade Deals

Best value camera systems

- » Watchguard™ Compact Series Complete CCTV Systems
- » Up to 16CH NVRs & high resolution cameras up to 8.0MP
- » Create high value installations - best performance vs price



Compact Series Fixed Lens IP Cameras

Available in vandal, turret dome and bullet housing styles

4.0MP@20fps, 8.0MP@15fps
30m IR, 2.8mm lens (102°),
Starlight, WDR, tripwire/
intrusion, IP67 (IK10 dome)



4.0MP Models:	VSIPC-4BIRS2	VSIPC-4DIRD2	VSIPC-4DIRG2
8.0MP Models:	VSIPC-8BIRS	VSIPC-8DIRD	VSIPC-8DIRG2
	(Mini Bullet)	(Vandal Dome)	(Turret Dome)



Vertical Wall Mount Security Cabinet

- 24U wall mount cabinet
- Fits 1 x Recorder & 24" Monitor
- Cable management knockouts
- 30kg load bearing, SPCC steel
- 580 (W) x 635 (H) x 180 (D)

**Fits 24"
Monitor &
NVR**

SECCAB
(2RU Cabinet)
Monitor & NVR
not included



Compact Series NVRs

4CH, 8CH, 16CH with full built in PoE switches for
easy install, up to 2 x HDD bays, supports up to 8.0MP
cameras

NVR4COM3 (4CH, 1 x HDD)	NVR8COM3 (8CH, 1 x HDD)	NVR16COM3 (16CH, 2 x HDD)
-----------------------------------	-----------------------------------	-------------------------------------

Watchguard™ camera systems, ideal for homes and businesses



Compact Series Fixed CCTV Kits

Complete, high definition surveillance systems ideal for homes & businesses.



Choose bullets, domes or turrets for your system



4CH 4.0MP Fixed IP Kit

1 x 4 Channel NVR, 4 x PoE, 1 x HDD bay
1 x Pre-installed 1TB Surveillance HDD
4 x 4.0MP 2.8mm (102°) cameras

NVRKIT-C441F
(4CH, 1TB HDD)



8CH 4.0MP Fixed IP Kit

1 x 8 Channel NVR, 8 x PoE, 1 x HDD bay
1 x Pre-installed 2TB Surveillance HDD
8 x 4.0MP 2.8mm (102°) cameras

NVRKIT-C842F
(8CH, 2TB HDD)

4CH 8.0MP Fixed IP Kit

1 x 4 Channel NVR, 4 x PoE, 1 x HDD bay
1 x Pre-installed 2TB Surveillance HDD
4 x 8.0MP 2.8mm (105°) cameras

NVRKIT-C482F
(4CH, 2TB HDD)

8CH 8.0MP Fixed IP Kit

1 x 8 Channel NVR, 8 x PoE, 1 x HDD bay
1 x Pre-installed 2TB Surveillance HDD
8 x 8.0MP 2.8mm (105°) cameras

NVRKIT-C884F
(8CH, 4TB HDD)



Pro Series Motorised IP Cameras

Available in vandal, turret dome and bullet housing styles

4.0MP@20fps, 8.0MP@15fps,
2.7~13.5mm VF lens (112°~46°),
Up to 60m IR (40m dome/turret)
True WDR (120dB), IVS: tripwire &
intrusion, audio/alarm (excl. turret)
IP67 metal housing, IK10 (dome
only), 12VDC/PoE



VSIPP-4DIRMG
(4.0MP Bullet)

VSIPP-4DIRMG
(4.0MP Dome)

VSIPP-4DIRMG
(4.0MP Turret)

VSIPP-8DIRMG
(8.0MP Bullet)

VSIPP-8DIRMG
(8.0MP Dome)

VSIPP-8DIRMG
(8.0MP Turret)



12VDC Power Supplies

Standard
2.1mm DC jack

PS2000SM (12VDC 2A)
PS5000SM (12VDC 5A)



28W LED Flood IR Illuminator

IP66 rated,
metal chassis

VSIR28W30/60/120D
(30°, 60°, 120°)



650VA UPS

650VA/360W,
28min backup at
72W load, 2 inputs

UPS650VA



Professional CCTV systems

- » VIP Vision™ Pro AI Series Network CCTV Systems
- » NVRs up to 32CH & AI network cameras up to 8.0MP
- » Create powerful, smart CCTV systems that impress





4CH 6.0MP Fixed IP Kit
 1 x 4CH Pro NVR, 4 x PoE, 2 x HDD bay
 1 x Pre-installed 1TB Surveillance HDD
 4 x 6.0MP 2.8mm (102°) AI turrets

NVRKIT-P461F
(4CH, 1TB HDD)



8CH 6.0MP Fixed IP Kit
 1 x 8CH Pro NVR, 4 x PoE, 2 x HDD bay
 1 x Pre-installed 2TB Surveillance HDD
 8 x 6.0MP 2.8mm (102°) AI turrets

NVRKIT-P862F
(8CH, 2TB HDD)



AI People
& Vehicle
Detection

Pro AI Series Fixed CCTV Kits

Pro AI turret cameras with intelligent perimeter protection, identifying people & vehicles during motion detection to filter out false alarms





4.0 MEGAPIXEL
6.0 MEGAPIXEL
4K ULTRA HD



AI People
& Vehicle
Detection

Pro AI Series Fixed Lens Cameras

Available in turret, vandal dome and mini bullet models
 8.0MP@20fps, 2.8mm lens (102°), Starlight, WDR, AI people & vehicle detection, IP67 (IK10 dome)

VSIPP-4BIRG-I (4.0MP Bullet)	VSIPP-8BIRG-I (8.0MP Bullet)
VSIPP-4DIRD-I (4.0MP Dome)	VSIPP-6DIRG-I (6.0MP Turret)
VSIPP-8DIRD-I (8.0MP Dome)	
VSIPP-4DIRG2-I (4.0MP Turret)	VSIPP-8DIRG-I (8.0MP Turret)





4.0 MEGAPIXEL
4K ULTRA HD



AI People
& Vehicle
Detection

Pro AI Series Motorised Lens Cameras

Available in bullet, vandal dome and turret models
 4.0MP@25fps, 8.0MP@20fps, motorised lens (113~31°), Starlight, WDR, AI people/vehicle detect., IP67 (IK10 dome)

VSIPP-4BIRMG-I (4.0MP Bullet)	VSIPP-8BIRMG-I (8.0MP Bullet)
VSIPP-4DIRMD-I (4.0MP Dome)	VSIPP-8DIRMD-I (8.0MP Dome)
VSIPP-4DIRMG-I (4.0MP Turret)	VSIPP-8DIRMG-I (8.0MP Turret)

New additions to the VIP Vision™ professional CCTV range



Professional Series 4~32 Channel NVRs

- Records up to 12.0MP resolution (4000 x 3000)
- Support for high resolution and AI IP cameras
- Power over Ethernet systems; 4/8/16/24 PoE ports
- Up to 4 x HDD ports, max. 40TB HDD capacity
- Motion detection recording & record scheduling
- Easy phone setup via QR code; live view & playback



NVR4PRO4
(4CH, 2 HDD)

NVR8PRO7
(8CH, 2 HDD)

NVR16PRO7
(16CH, 4 HDD)

NVR24PRO6
(24CH, 4 HDD)

NVR32PRO16P3
(32CH, 16 PoE, 4 HDD)



Intelligent AI auto-tracking.



Pro AI Series PTZ Speed Domes

- AI people & vehicle detection; Search playback
- Trigger alerts with people/vehicle or motion detection
- Starlight performance (0.005lx) & 150m infrared
- 1/1 alarm & 2/1 alarm interfaces (input/output)
- Includes bracket for wall mounting

VSIPPTZ-2IRP-I
(2.0MP, 25x Zoom)

VSIPPTZ-4IRP-I
(4.0MP, 32x Zoom)

VSIPPTZ-8IRP-I
(8.0MP, 25x Zoom)



Full HD
1080

4.0
MEGAPIXEL

4K
ULTRA HD



Pro AI Active Deterrence Turret Cameras

AI Person & Vehicle Detection
Trigger Siren & Red/Blue Strobe
24/7 Colour Low Light Performance
Program your own custom siren sound
White spotlight for night illumination
2.0MP@25fps, 2.8mm (107°), true WDR,
metal body, micro SD slot, IP67 rated

VSIPP-2DG-ID
(2.0MP Turret)



Full HD
1080



Camera Brackets



AI People & Vehicle Detection



See VIP Vision AI CCTV Systems in action

Visit www.vip-vision.com for demos of people/vehicle identification & more

Solar-powered CCTV systems



Pre-built solar camera systems for construction & more.

Fully configured, ready-to-install solar systems with high efficiency monocrystalline panels, large capacity lithium batteries for long uptime & 180lm/W LED light with motion sensing.

4.0MP PTZ IP Camera integrated for standalone solar CCTV, with 4G or WiFi network options available. Pole & base sold separately.



SLR-B120-4G/4W
(120W Panel, 4G/WiFi)

SLR-B180-4G/4W
(180W Panel, 4G/WiFi)

SLR-POL4.5H
(4.5m hinged pole)

SLR-POLBASE
(Unassembled)

SLR-POLCONC
(Assembled Base)

Deliver an outstanding install

- » Build professional networks for intercom & CCTV installs
- » Wide range of Gigabit & Power over Ethernet switches
- » Wireless access points, cabling, UPS & cable accessories

LONGEVITY

Pre-Configured Wireless AP Bridges

- Point-to-point & point-to-multipoint applications
- We program units for plug & play, saving you time
- 5.8GHz wireless access point, 900Mbps
- Up to 5km P2P range, line of sight (H:60° / V:30°)
- PoE; pole & wall mount kits included; IP65

LGAP300 (Single Unit) LGAP300-PACKA (2 x Wireless APs) LGAP300-PACKB (3 x Wireless APs)



Pre-configured WiFi bridge



SECURVIEW Fibre Optic HDMI Cables

10m, Type-A to Type-A	HDMI-10F
20m, Type-A to Type-A	HDMI-20F
10m, Type D detachable	HDMI-10FC
20m, Type D detachable	HDMI-20FC
30m, Type D detachable	HDMI-30FC
50m, Type D detachable	HDMI-50FC

4K@60Hz Easy HDMI wall runs



30W PoE Injector

30W PoE+, 1000Mbps, 100~240VAC.



VSPOE-IN30 (Injector)

Provide PoE to devices

FLASHVIEW™

2-way 4K HDMI Splitter

1 x HDMI input, 2 x HDMI output, 5VDC



HDMI-SPL2P3 (HDMI Splitter)

Supports 4K & 3D video

FLASHVIEW™

HDMI Extender over CAT6

HDMI signal over CAT6 cable up to 50m



HDMI-EXT50M (HDMI Extender)

Supports 1080p & 3D video



Gigabit Ethernet Switches

Unmanaged, desktop switches, 1 x HiPoE port 60W, 100M fast speeds

4 port VSPOE-SWA4
8 Port VSPOE-SWA8G



PoE+ Ethernet Switches

Unmanaged, 100+Mbps PoE+, 30W per port, 1/2 x 60W Hi-PoE, 60W/96W total



4 Port VSPOE-SW4H
8 Port VSPOE-SW8H

DIN rail mount



CAT5E / CAT6 UTP Pullboxes

305m Ethernet cable boxes in 4 colours

CAT5E
CAT5EBLU-47MM (Blue)
CAT5EWH (White)
CAT5EYL-47MM (Yellow)

CAT6
CAT6BLU-50MM (Blue)
CAT6RED-50MM (Red)



Professional LED for industry

- » High power LED flood lighting and high bay lighting
- » Outstanding light output performance up to 160lm/W
- » Warehouses, production facilities, sporting complexes

ENSA™

LHB-D Series LED High Bays

130lm/W, 90° beam,
>80 CRI, hang
mount, 50,000hrs
lifespan, IP66, 5700K,
AUS plug



LHB-D100-C
(100W, 13000lm)
LHB-D150-C
(150W, 19500lm)
LHB-D200-C
(200W, 26000lm)

AVOL™

LHB-E Series LED High Bays

100lm/W, 90° beam, >80 CRI, 35,000hrs
lifespan, IP65, 6000K, eyelet mount

LHB-E100-C
(100W, 10000lm)
LHB-E150-C
(150W, 15000lm)
LHB-E200-C
(200W, 20000lm)



AVOL™

LFL-H Series LED Floods

80lm/W, 6000K, 120°, IP66,
AUS plug

LFL-H50-C (50W) LFL-H150-C (150W)
LFL-H100-C (100W) LFL-H200-C (200W)



AVOL™

LSL-C LED Street Lights

110lm/W, 35,000hrs, 6000K, 90°x130°,
IP65, 180° slipfitter, pole not included

LSL-C50-C (Ø54, 50W) LSL-C150-C (Ø62, 150W)
LSL-C100-C (Ø62, 100W) LSL-C200-C (Ø62, 200W)



ENSA™

LFL-B2 Series Slimline LED Flood Lights

150lm/W, 5000K (C2) / 3000K (W2), 120°, IP65,
50,000hrs lifespan, >70 CRI

LFL-B80-C2 (80W, 12,000lm)
LFL-B20-C2/W2 (20W, 3000lm)
LFL-B30-C2/W2 (30W, 4500lm)
LFL-B50-C2/W2 (50W, 7500lm)
LFL-B100-C2 (100W, 15,000lm)
LFL-B150-C2 (150W, 22,500lm)
LFL-B200-C2 (200W, 30,000lm)



Huge savings

ENSA™

Save on smart LED lighting

- » Flood, batten, oyster & street lights with motion sensors
- » Adjustable sensor lights to maximise energy savings
- » Ideal for many residential and commercial applications

ENSA™

LFL-C2 Commercial Sensor LED Floods

120lm/W, 120°, >80 CRI, Adjustable PIR up to 12m (140° arc), 35,000hrs lifespan, 5000K, U-bracket, IP65



LFL-C20-CS2-5
(20W, 2400lm)

LFL-C30-CS2-5
(30W, 3600lm)

LFL-C50-CS2-5
(50W, 6000lm)

ENSA™

LED Oyster Lights

16W standard, motion sensor, & motion + backup battery models. 1200lm, 3000/5000K, IP66 & IK10.

LOL-A16-C/W
(Standard)

LOL-A16-CS2/WS2
(Sensor)

LOL-A16-CSE/WSE
(Sensor & Battery)



ENSA™

LED Sensor Batten Lights with Battery Backup

2-stage motion sensor dimming, 18W (1600lm) & 36W (3000lm), 2hrs up-time backup battery, AS2293.3, 120° beam, 35,000hrs LED lifespan, IP65



LEDBT18WS2
(18W, 600mm)

LEDBT18WSE
(battery backup)

LEDBT36WS2
(36W, 1200mm)

LEDBT36WSE
(battery backup)

Backup Batt.
2-Stage Dim
NSW ESS

ENSA™

LSL-B Series LED Street Lights

135lm/W, 5000K, >70 CRI, 50,000hr lifespan, 155x85° beam, dimmable, IP66/IK08, Ø62mm slip fitter*, pole not included



Slip fitter, fixed/adjust. pole, trunnion & U-bracket mounts

*Brackets sold separately

Photocell Models

LSL-B150-CP
(150W, 5000K)

LSL-B200-CP
(200W, 5000K)



Rapid upgrade LED retrofits

- » Retrofit inefficient high bays, fluoro tubes and bulbs
- » Adjustable motion sensor lights maximise energy savings
- » Ideal for many residential and commercial applications

ENSA™

E40 Base LED High Bay Bulbs

4500K/6500K, 120°, quickly replace metal halide / HID high bays, E40 base

LBL-D100-E40C/N
(100W, Cool/Natural)

LBL-D160-E40C/N
(160W, Cool/Natural)

LBL-D100RF (100W reflector)



ENSA™

40W E27/E40 Base LED Retrofit Bulbs

40W E27 & E40 screw-fit LEDs, 130lm/W, >80 CRI, >15,000hrs lifespan, 4000K natural white, Ø110mm x 275mm length

LBL-D40-E27N
(40W, natural, E27)

LBL-D40-E40N
(40W, natural, E40)



ENSA™

45W E27 Base LED Retrofit Bulb

45W E27 screw fit LED bulb, 100lm/W, >80 CRI, >25,000hrs lifespan, 4000K natural white, Ø138mm x 231mm length

LBL-D45-E27N
(45W, natural, E27)



ENSA™

T8 LED Tube Lights

2ft/4ft (600/1200mm) models, 100lm/W, 6500K, full polycarbonate tube design, frosted diffuser, lights include LED starter

LTU-A9-CW
(9W, 900lm)

LTU-A18-CW
(18W, 1800lm)

100lm/W
2ft & 4ft
Starter



ENSA™

PIR Motion Detection T8 LED Tube Light

2ft (600mm) & 4ft (1200mm) models, 80lm/W, 6000K, 8m PIR detection, dims to 30%, 60s on-time delay

LTU-C9-CS
(2ft, 9W, 750lm)

LTU-C18-CS
(4ft, 18W, 1800lm)

1200mm
PIR Sensor
30% Dim



Stylish Italian light fixtures

- » Wide range of light fittings for indoors & outdoors lighting
- » Unique fixtures designed & manufactured in Varese, Italy
- » LED lights included, all models available in grey & black

<p>fumagalli® Recessed Wall/Floor Lamps Available in grey & black</p> <div>  <p>Lorenza FU-NIN-7 (7.5W Recessed)</p> </div> <div>  <p>Abram FU-CEC-6 (6W In-Ground)</p> </div>  <p><i>Lorenza</i></p>	<p>fumagalli® Bulkhead Bollard Light Pina FU-PIN-18 (18W Bollard)</p> 
<p>fumagalli® Surface-Mount Wall Lamps Available in grey & black</p> <div>  <p>Lorenza FU-LOR-3 (3W Surface)</p> </div> <div>  <p>Abram FU-ABR-3 (3W Bulkhead)</p> </div> <div>  <p>Francy FU-FRA-6 (6W Bulkhead)</p> </div>  <p><i>Abram</i></p>	<p>Light Poles Available in grey & black</p> <p>Ektor FU-EKT-25 (2.5m) FU-EKT-4 (4m) FU-EKT-6 (6m)</p> <p>Fibo FU-FEB-1 (1m)</p> <p>New Lot FU-NEW (Base)</p> <p><i>Galvanised metal poles with resin coating</i></p> 
<p>fumagalli® Round/Square Bollard Lights Available in grey & black</p> <div>  <p>Carlo FU-CAR-6 (6W Round)</p> </div> <div>  <p>Ester FU-EST-10 (10W Square)</p> </div>  <p><i>Ester</i></p>	<p>Pole Brackets FU-MID-P1 (Single, Short) FU-MID-P2 (Double, Short) FU-MID-P3 (Triple, Short) FU-PIL-P1 (Single, Long) FU-PIL-P2 (Double, Long)</p> <p>Wall Brackets FU-MID-W (Short) FU-PIL-W (Long)</p> 
<p>fumagalli® Pole-Mounted LED Lights Available in grey & black</p> <div>  <p>Giorgio FU-GIO-40 (40W Floodlight)</p> </div> <div>  <p>Gino FU-GIN-60 (60W Classic Lamp)</p> </div>  <p><i>Gino</i></p>	

High power LED for industry

- » High power LED flood lighting and high bay lighting
- » Outstanding light output performance up to 160lm/W
- » Warehouses, production facilities, sporting complexes

ENSA™

LFL-G Series High Power LED Floods

+160lm/W light output with 100,000hrs rated lifespan. 5000K cool white, 60 x 120° beam angle (30° beam angle by special order), tilt adjustable LED modules with 180° U-bracket mount, IP67

LFL-G240-C2
(240W, 38,400lm)

LFL-G360-C2
(360W, 57,600lm)

LFL-G480-C2
(480W, 81,600lm)

LFL-G720-C2
(720W, 115,200lm)

LFL-G960-C2
(960W, 153,600lm)



ENSA™

LFL-F Series High Power LED Floods

Superb light output & beam angle options to fit the job.

6500K cool white, 60° beam, independent 360° rotate & 140° tilt adjustable LED modules, IP66

LFL-F480-C
(480W 79,200lm)

LFL-F720-C
(720W 118,800lm)

LFL-F960-C
(960W 158,400lm)





LHB-F Series Lens Modules

Switch out lens for narrow beam angles for higher mounting.

LFL-F-L10 (10° lens)
LFL-F-L30 (30° lens)

Essential electrical solutions

- » Rigid & corrugated cable conduit in medium & heavy duty
- » All conduit conforms to AS/NZS 2053 standards
- » Dozens of accessories for a complete electrical installation



Professional vehicle security

- » Standalone vehicle dual surveillance & tracking system
- » Lockable HDCVI mobile DVR with GPS, 4G & WiFi
- » 5 mobile HDCVI cameras, specialised for vehicle usage

SECURVIEW™

4G Vehicle Monitoring & GPS Tracking System

- 1080p road-facing camera & separate B&W cabin camera
- Real-time, precision GPS tracking; geo-fencing, track playback
- Voice chat and live view video at any time from connected app
- Driver behaviour live alerts for speed, g-sensor & more
- Manage multiple units & send device commands on phone or PC
- Free lifetime licence for online tracking platform & phone app
- Incl. power harness, mounting kits, alarm button, relays & more

MDVR-J400
(SIM card, phone & SD
card not included)



SECURVIEW™

4 & 8 Channel Mobile HDCVI DVRs

- Available in 4 or 8 channels, each with precision GPS, 4G & WiFi
- Supports HDCVI & analogue video inputs, 1 x VGA / 2 x TV outputs
- Backup via USB/network, lockable HDD/SIM tray, M12 camera inputs
- 7/2 alarm input/output, 6~36VDC power input, CAN bus support
- **4CH:** 2.0MP at 2CH + 1.0MP at 2CH at 25fps 1 x 2.5" SATA port & SD slot
- **8CH:** 2.0MP at 25fps across 8 channels, 2 x 2.5" SATA ports & SD slot

MCVR-GPS4GW
(GPS/4G/WiFi)

MCVR-GPS8GW
(GPS/4G/WiFi)



SECURVIEW™

2.0MP HDCVI Mobile Series Cameras

All cameras include heavy duty M12 connector for mobile / vehicle use

- **Mini Dome:** 2.0MP, 3.6mm (83°), 20m IR, built-in mic, IP67 rated
- **Bumper:** 2.0MP, 3.6mm (83°), 20m IR, built-in mic, IP67 rated
- **Dash Camera:** Road & cabin, 2 x 2.0MP, wide angle, built-in mic
- **IK10 Dome:** 2.0MP, 2.8mm (111°), 20m IR, IK10/IP67 rated
- **Barrel Camera:** 2.0MP, 2.8mm (109°), electronic day/night, Ø30mm

VSCVI2MPDIRAT
(Mini Dome)

VSCVI2MPCIRAT
(Bumper Cam)

VSCVI2MPWTT
(Dash Camera)

VSCVI2MPVDIRFTV3
(IK10 Dome)

VSCVI2MPBT2.8
(Barrel Camera)



Elegant IP intercom systems

- » Ideal for single-tenant and multi-tenant installations
- » Remote answering and unlocking via mobile application
- » IP intercom door stations, indoor monitors and kits



1.0MP Residential IP Door Station

1.0MP camera (122°), 2-way talk, 12VDC / PoE, Alarm & RS485 I/O, PCB, surface mount

INTIPRDSJ
(1.0MP)



2.0MP Residential IP Door Station

2.0MP camera (160°), 2-way talk, 12VDC / PoE, Alarm & RS485 I/O, Aluminium, flush/surface mount

INTIPRDSG
(2.0MP)



Residential IP PoE Indoor Monitors

7" TFT touchscreen (1024 x 600), Wall or desktop mount, PoE 12VDC, Record & snapshot

INTIPMONGB (7" Black)
INTIPMONGW (7" White)



Residential IP PoE Handset Monitors

7" TFT touchscreen (1024 x 600), Wall or desktop mount, Handset, PoE 12VDC, Record & snapshot

INTIPMONDBH2 (Black)
INTIPMONDWH2 (White)



Entry-level
intercom
systems



4-Wire Analogue Intercom Kit

Quick replacement for 4-core & 6-core systems.

- 1 x Residential analogue door station
- 1 x 7" touchscreen indoor monitor (white)
- 1 x Mounting bracket for door station
- 1 x 12VDC PSU

INTKIT-A1
(Complete Kit)



J Series Residential IP Intercom Kit

- 1 x IP PoE door station with built-in NFC card reader
- 1 x 7" touchscreen indoor monitor (black)
- 1 x 5-port 10/100M PoE switch with PSU included

INTIPRKITJ
(Complete Kit)

ENSA™**Smart Motion Sensor Switches**

Available in multiple of styles to suit a variety of applications. Microwave or PIR motion detection. Adjustable daylight sensing, on-time & detection sensitivity.

**PIR****Micro-wave**

12m 180° arc,
wall mount, IP65

ENSA-PS1

4m x 20m,
corridors, IP20

ENSA-PS2

Ø6m 360°,
recessed, IP20

ENSA-PS3

Ø20m 360°,
ceiling, IP65

ENSA-PS4

Ø8m 360°,
concealed

ENSA-MS1

15m 180° arc,
Wall mount, IP65

ENSA-MS6

Ø16m 360°,
ceiling, IP20

ENSA-MS2**ENSA™****IP65 Dusk/
Dawn
Switch**

Adjust daylight
sensing 5~50lx,
weather rated,
10A rated



ENSA-LC1W
(IP65 rated)

ENSA™**2CH Mains Voltage
433.92MHz Receiver**

Remote control any 240VAC load
up to 1000W, 2 relay outputs
(latched/timed), 100m RF range
LoS, IP55 rated, incl. 2 remotes

Trigger via wireless alarm
sensors, eg: PIR/reed switch



ENSA-RS1
*sensors sold
separately

**Trigger via
wireless
sensors***

Safeguard homes & businesses

**Watchguard Force Wireless 4G Alarm**

Contact ID protocol support for back to base services

- Versatile security for residences, offices and stores
- Reliable protection: In event of a power outage the control panel will send SMS notifications
- 6 hour backup battery, activated by power outage
- Connect to WiFi to control & monitor the alarm system via the phone app or receive email notifications

ALL-PACK1
(Incl. PIR, reed switch,
remotes, tags & hub)



**External siren, extra sensors,
keyfobs & more also available**



Available from your local wholesaler. Call us to find your nearest stockist.

Cornick
Established 1978

Distribution opportunities available: To become a distributor for the brands & product ranges featured, contact Master Distributor Cornick Pty Ltd.
1300 307 067 • sales@cornick.com.au • www.cornick.com.au
Distribution Centre: 8 Precision Place, Mulgrave, NSW, Australia